

SPECIALTY TOPICALS

CASH-ONLY PHARMACY ADVANTAGES



Bases designed to maximize clinical outcomes

- Myocotic nail base proven to penetrate the nail plate
- Topical pain base proven to drive up to eight active ingredients into soft tissue



Micronized USP active pharmaceutical ingredients

- Ideal particle size to maximize tissue penetration
- No crushed tablets or opened capsules



No substitutions or watered-down formulas

- Patient receives the exact formulation you prescribe, every time



Affordable and consistent pricing for a true 30-day fulfillment

- No copay, pharmacy counter, or EOB surprises
- No prior authorizations

EBM Medical only uses trusted transdermal bases that drive multiple actives



- Quick-drying, non-sticky cream base
- Contains penetration enhancers and natural oils (including urea and tea tree oil)
- Proven to penetrate the nail plate



- Off-white, cosmetically elegant cream
- Formulated with silogel — smooth, silky, dry feel (less sticky/tacky)
- Absorption of up to 8 APIs in one formulation
- 40% hydrophilic / 30% lipophilic
- Natural ingredients — less irritation

REFERENCE GUIDE

Commonly Prescribed Formulas		Practical Applications
Neuropathic Pain Cream		
P2	Gabapentin 5%, Amitriptyline 3%, Clonidine 0.2%, Lidocaine 5% in Salt Stable LS Advanced Cream	Designed to calm over-excited nerves and block the pain signal. Common uses: Diabetic neuropathy, idiopathic neuropathy, chemo-induced neuropathy
Anti-Inflammatory Pain Cream		
P3	Diclofenac 3%, Baclofen 2%, Lidocaine 5% in Salt Stable LS Advanced Cream	Designed to decrease inflammation and block the pain signal. Common uses: Arthritis, tendonitis, plantar fasciitis
Neuropathic/Anti-Inflammatory Pain Cream		
P6	Diclofenac 4%, Lidocaine 5%, Gabapentin 5%, Pentoxifylline 3%, Clonidine 0.2%, Amitriptyline 3% in Salt Stable LS Advanced Cream	Designed to calm over-excited nerves, block the pain signal, and decrease inflammation. Common uses: Back pain, plantar fasciitis, neuropathic pain, complex regional pain syndrome (CRPS)
P7	Diclofenac 3%, Lidocaine 2%, Gabapentin 5%, Amitriptyline 2%, Clonidine 0.2%, Amantadine 8% in Salt Stable LS Advanced Cream	
Fibromatosis		
P5	Verapamil 15%, Diclofenac 3% in Humco Salt Stable LS Cream	Designed to break down scar tissue and plantar fibromas. Common uses: Plantar fibromatosis, tendinosis
Anti-Fungal Cream		
N1	Amphotericin B 3%, Terbinafine 1%, Urea 20%, Thymol 4% in Recura Cream	Designed to penetrate the nail plate and kill microorganisms (fungus, bacteria (N1)). Common uses: Onychomycosis, tenia pedis
N2	Fluconazole 10% in Recura Cream	
Scar Cream		
S1	Lidocaine 5%, Verapamil 5%, Pentoxifylline 0.5%, Hyaluronic Acid 0.5%, Fluticasone Propionate 0.05% in Sanare Advanced Scar Cream	Designed to decrease the production, and increase the breakdown, of collagen, remodel scar tissue, and decrease itching/irritation. Common uses: Keloid, hypertrophic, postoperative, and hyperpigmented scars
S2	<i>Hyperpigmented</i> Hydroquinone 4%, Fluocinolone 0.01%, Tretinoin 0.05%, Kojic Acid 6%, Lipoic Acid 3% in Sanare Advanced Scar Cream	
Wart Solution		
W1	Cimetidine 5%, 5-Fluorouracil 5%, Salicylic Acid 10%, IBU 10% in Collodion Solution	Designed to exfoliate dead skin and eliminate the virus causing warts. Common uses: Plantar warts
Circulation/Raynaud's Phenomenon		
T1	Nifedipine 8%, Pentoxifylline 8% Cream	Designed to vasodilate and decrease blood viscosity to improve blood flow. Common uses: Areas with poor circulation, peri-wound treatment, Raynaud's disease
T2	Nifedipine 16% Cream (toe butter)	
Hyperhidrosis		
H5	Glycopyrrolate 1%, Zinc Oxide 5%, Aluminum Chloride 12% in a transdermal base	Designed to decrease perspiration and odor. Common uses: Hyperhidrosis
Rough/Dry Feet		
R1	Lactic Acid 10%, Urea 40% Cream	Designed to exfoliate dead tissue and hydrate the skin. Common uses: Rough/dry feet, heel fissures